



INVEST IN THE FUTURE



RIVETING

GYSPRESS 10T	73
--------------	----

GYSPRESS PREMIUM 10T PP	75
-------------------------	----

WORKSTATION	76
-------------	----

ADAPTERS	78
----------	----

DIES BOXES & RIVETS	80
---------------------	----

ACCESSORIES	83
-------------	----



GYPRESS



Youtube



GYPRESS 10T

6.5 bar | 100 kN

10t

063303


070653



US version
070653



Pressure gauge
Psi



Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse - Regelung
Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung



UNIQUE
100%
No air inclusion
maintenance free, no oil refill




GYPRESS 10T COMPLETE PACKS

	 HR110 063310	 XT11.21 - Extension for HR110 & HR210 058644	 Standard 10T tool box 053694	 6 x 50 rivets RAP - Nieten SPR 048706	 HR210 + HR310 064089	 24kN adapter 063822	 Trolley+support 055391
GYPRESS 10T 063303	✓						
070653							
GYPRESS 10T pack 1 066441	✓						
GYPRESS 10T pack 2 082991	✓						
GYPRESS 10T pack 3 064744	✓						✓

 MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL		 kg	 LxWxH cm / kg	
				cm			
GYPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar		39.5 x 180	6.2 (HR110 included)	58 x 50 x 15 / 12.1	

BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL




			
	HR110	HR210	HR310
	063310	063327	063334
GYPRESS 8T	✓	✓	—
GYPRESS 10T	✓	✓	✓
GYPRESS 8T PUSH PULL	✓	✓	✓
GYPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYPRESS 10T PUSH PULL	✓	✓	✓
GYPRESS 10T CONNECT	✓	✓	✓




KIT WITH HR210 + HR310
064089

XT31-40
Rallonges bras HR310
pour point milieu
- HR310 arm extension
for middle point


Compatible
8T PP/10T/10T PP
x2
066335




OPTIONS



Riveting machine support for changing accessories (arms & dies)
- Support Riveteuse pour changements d'accessoires (bras & matrice)
- Supportständer
↕ 28 x 40 x 21,5 cm
⊗ 45 x 39 x 20 cm / 7.2 kg
054158



Trolley - Chariot
↕ 74 x 51 x 81 cm
⊗ 80 x 123 x 15 cm / 44 kg
054233



Trolley + Support
Chariot + Support
↕ 51 x 74 x 122 cm
⊗ 51.2 kg
055391



Pressure sensor
- Capteur d'effort
062115

Hydraulic body wrenches
(x 2)
067325



Temporary - Serre-tôles - fasteners manual mounting

(x10)
Ø 2,4 mm
069664



(x10)
Ø 4,0 mm
069671




(x10)
Ø 4,8 mm
069688



(x10)
Ø 6,4 mm
069695



GYPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS

	 HR110 063310  XT11.21 - Extension for HR110 & HR210 058644  Standard 10T tool box 058631  6 x 50 rivets RAP - Nieten SPR 048706  Strap-Sangle-Gurt  HR arm locker  Poignée-Handle-Griff	 HR210  HR310  HR210 + HR310 064089	 24kN adapter 063822	 Trolley+support 055391
GYPRESS 10T PREMIUM PUSH PULL 077065  070660	✓			
GYPRESS 10T PPP pack 1 082519		✓		
GYPRESS 10T PPP pack 2 082526			✓	
GYPRESS 10T PPP pack 3 082533	✓			✓



GYS PRESS



75

GYS PRESS PREMIUM

RIVETING

PREMIUM

PUSH PULL

GYS PRESS PREMIUM 10T PUSH PULL

6.5 bar | 100 kN

10t

077065

070660



US version
070660



Pressure gauge
Psi



UNIQUE
100%
No air inclusion
maintenance free, no oil refill

UNIQUE PUSH PULL SYSTEM by GYS

AUTO
or MANUAL


← PUSH

PULL →



LARGE OPENING

MORE
ACCESS



48.5 mm
(no dies)
23.5 mm
with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK
FASTER




Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic
selection
- Sélection Manuel/
Automatique

OPENING
CONTROL



Pressure control
- Contrôle de la
pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werk-
zeuggeschwindigkeit



MADE IN FRANCE

GYS PRESS 10T PREMIUM PUSH PULL

AIR BAR

6.5 bar = 10 t (maxi 10 bar)

PRESSURE
CONTROL

0 > 6.5 bar

SPEED
CONTROL



cm

39.5 x 180



kg

6.7 (HR110 included)



kg

59 x 50 x 16 / 13.1



GYPRESS

SYNERGIC

RIVETING WORKSTATION

PNEUMATIC HYDRAULIC



UNIQUE

100%



No air inclusion

maintenance free, no oil refill

ACCESSIBILITY

16 languages

FR
GB
DE
IT
ES

PR
CZ
NL
SE
RU

CN
JP
VN
FI
TR

★★★★★
SYNERGIC
RIVETS
SETTINGS

Main panel

Setup instructions



Results



3 MODES

MANUAL

SYNERGIC

CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY

✓ VW GROUP

✓ MERCEDES-BENZ

✓ BMW

✓ TESLA


✓ FERRARI

✓ FORD

✓ RENAULT ALPINE


✓ GM

CONNECTIVITY



TRACEABILITY


History data export




Data	kN	Time	State	N°
Waiting 1	0.00	12:00:10	OK	2
Waiting 2	10.00	12:00:10	OK	3
Waiting 3	10.00	12:00:11	OK	4
Waiting 4	10.00	12:00:11	OK	5
Waiting 5	10.00	12:00:11	OK	6

SOFTWARE UPDATE

Gyspress evolutions





Gyspress support



Arms support



Discharge lever
- Levier de décharge
- Auslösehebel

WORKSTATION
GYSPPRESS 10T PP CONTROL

6.5 bar	100 kN
10t	
063860	

included



HR110
063310

XT11.21 - Extension
for HR110 & HR210
058644

Standard 10T PushPull tool box
058361

6 x 50 rivets RAP -
Nieten SPR
048706

Strap-Sangle-Gurt

HR arm locker

Poignée-Handle-
Griff

OPTIONS

Pressure
gauge
- Capteur
d'effort
10T PP CONTROL
071759



Youtube



Hydraulic body wrenches
for GYSPPRESS 10T, 10T
PushPull, 10T PP CONTROL
(x2)
067325



 MADE IN FRANCE WORKSTATION GYSPPRESS 10T PP CONTROL		AIR BAR	PRESSURE CONTROL	SPEED CONTROL		
					LxWxH cm / kg	LxWxH cm / kg
	230 V	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar		74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

BLIND RIVET ADAPTERS
- ADAPTATEURS POUR RIVETS AVEUGLES

GYPRESS

Adaptators

Compatibility


GYPRESS 10T
GYPRESS 10T PUSH PULL
GYPRESS 10T PUSH PULL PREMIUM
GYPRESS 10T CONNECT



BLIND RIVET ADAPTER 24 kN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm
063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8



INCLUDED



for standard rivets:




Ø 3.2 x 1 059221
Ø 3.6 x 1 059238

Ø 4.0 x 1 059245
Ø 4.5 x 1 059252

24 kN COMPACT 600 mm
077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD



INCLUDED



for standard rivets:



Ø 4.5 x 1 081222
Ø 5.2 x 1 079939

OPTION

for extraction of self piercing rivet :
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY



SPECIFIC STORAGE



① PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten

①

Stainless steel rod welding
with GYSPOT Arcpull
350/700



②

Extraction of self
piercing rivet
with GYPRESS
adapters



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN

064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox 059634	Mandrel support - Support porte-goujon 059641	Nozzle + pad - Buse + patin 059641	mandrel Ø 4mm 049000	Buse d'extraction 24kN Ø 4 064683
×100	×1	×1	×1	×1	×1



50 kN 1 m
064867

4.0 kg

Stroke adjustment - Réglage de la course de traction
0 → 25 mm

For BLIND rivets - Pour rivets POP - Für Blindniet

Steel / Acier: Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard



included
058446



Complete kit 065987



Ø 3.2 065994 Ø 3.5 066007 Ø 4.0 066014 Ø 4.5 066021 Ø 5.0 066038

OPTIONS

Steel / Acier: Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8



160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



included
058446

160 mm

Ø 8.0 → 9.8



Ø8.0/9.8mm nozzle-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



included
066069

included
Ø 6 mm
066052

M5 → M14
M5 → M8



Blind rivet nut pulling, Blind rivet bolt adapter kit
- Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



included

M5	066083
M6	066090
M8	066106
M10	066113
M12	066120
M14	066137

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN
073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50kN Ø 5 066151
x100	x1	x1	x1	x1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700
068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50kN Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641	Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
x100	x1	x1	x1	x1	x2	x1	x1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



+ demo metal sheet - plaque de démonstration

Blind rivet nuts - Écrous à sertir	M5	M6	M8	M10	M12	M14
	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
	x 50 066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229
	x 10	x 10	x 10	x 10	x 10	x 5

Blind rivet bolts - Goujons à sertir	M5	M6	M8
	22.5 → 27	24 → 28.5	23.5 → 28
	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
	X 50 066236	X 50 066243	X 50 066250
	x 10	x 10	x 10

Blind rivets - Rivets aveugles	Ø 6.4	Ø 9.8
	2.8 → 4.8	3.0 → 14.0
	x 50 066267	x 50 066274
	x 10	x 10

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen

2.0 < 6.5 mm 3 < 5,8 bar

Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen

2.3 < 8.3 mm 5,3 < 8 bar

Application of Flow-form rivets
- Pose de rivets Flow-Form
- Setzen v. Fließformnieten

2.3 < 8.3 mm

Extraction de rivets
- Extraction of rivets
- Niet-Auspressen

2.3 < 8.3 mm 8 bar

Metal sheet punching and shaping -
Perçage et formage des tôles pour rivets
pleins - Vollniet-Lochstanzen/Prägen

2.3 < 8.3 mm 8 bar

DIES BOXES - Boîtes matrices - Matrizensätze

STANDARD

STANDARD 8T/10T
for **8T** **10T**
053694
Included **XT11-21** 058644

A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2	x2	x4	x1	
Self-piercing rivets				Flow-form rivets		Extraction		Punching		key - clé				seals - joints
Ø 3.2, 3.5	Ø 3.3	Ø 5, 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		Ø 3.3, 4.8		Ø 3.9, 5.3	Ø 6					

STANDARD 8T/10T PUSH PULL
for **8T PP** **10T PP** **10T CONTROL**
058361
Included **XT31-60**
- 60 mm extension for HR310
(use with ST1, T5, T7) 057135
+ **XT11-21** 058644

A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7	x2	x4	x1
Self-piercing rivets				Flow-form rivets		Extraction		Punching		key - clé				seals - joints
Ø 3.2, 3.5	Ø 3.3	Ø 5, 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		Ø 3.3, 4.8		Ø 3.9, 5.3	Ø 6					

Ideal for aluminum & mild steel
- Idéal aluminium et aciers doux

Low pressure
Ø 6.4 mm

KIT RMB PP05
for **10T PP** **10T CONTROL**
066366

ST3	T12	T13
Punching Ø 6.7		

Ideal for UHSS, Boron - Idéal aciers durs, Boron

HIGH pressure
Ø 6.4 mm

KIT RMB 08 PREMIUM
for **10T** **10T PP** **10T CONTROL**
066403

T14	T15	T16
Punching Ø 6.7		

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM
for **10T** **10T PP** **10T CONTROL**
071186

T17	T18	T19
Punching Ø 6		

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM
for **10T** **10T PP** **10T CONTROL**
071193

T20	T21	T22
Punching Ø 8		

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM
for **10T** **10T PP** **10T CONTROL**
080867

T23	T24	T25
Punching Ø 10		

RMB 11 for **10T**
071087

RMB PP04 for **10T PP** **10T CONTROL**
071063

Included **XT31-60**
- 60 mm extension for HR310

F1	F2	F6	E9	E11	T1	T2	ST1	T5	T7	T17	T18	T19	D18	D17	x2	x4	
Flow-form rivets			Extraction		Punching											key - clé	seals - joints
Ø 6			Ø 6, 8		Ø 6												

RMB 06
for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
059009

B4	B5	B6	S3	S7	S8	D17	E1	E2	E13	x2	x4	
Self-piercing rivets			Extraction			Punching					key - clé	seals - joints
Ø 3.9			Ø 4.75			Ø 3.9			Ø 4.75			

RMB 03 for **8T** **10T** **8T PP** **10T PP** **10T CONTROL**
054257

A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16	x2	x4
Self-piercing rivets				Solid rivets		Extraction											Punching						key - clé	seals - joints		
Ø 3.2, 3.5 Ø 5, 5.3 Ø 3.9 Ø 4.75				Ø 4 Ø 6		Ø 3.2				Ø 5.3 Ø 3.9, 5.3		Ø 3.2		Ø 5.3		Ø 8		Ø 4.8		Ø 4, 8		Ø 4		Ø 6		

RMB PP08 for **10T** **10T PP** **10T CONTROL**
072404

Included **XT31-60**
- 60 mm extension for HR310

B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18	x2	x4		
Self-piercing rivets		Flow-form rivets			Extraction			Punching											key - clé	seals - joints
Ø 5.3 Ø 5.3		Ø 6			Ø 5.3 Ø 6			Ø 6												

MERCEDES-BENZ



RMB 07 for 10T
064454

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2
F1	F2	F3	F4	F5	—	—	—	E9	E10	E11	T1	T2	T3	T4			
Flow-form rivets					Extraction					Punching					clé - key		
Ø 6 - A1/2/3 S0/1/2/3/4/5/6					S28/38/48/58/68 S08/18					Ø 5,3 > 8 Ø 6 Ø 8 Ø 6 > 8 Ø 8 Ø 6					Ø 6 Ø 8		

Included XT31-60 - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135



RMB PP01 for 8T PP 10T PP 10T CONTROL
058378

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2
F1	F2	F3	F4	F5	E9	E10	E11	ST1	ST2	T5	T7	T8	T10			
Flow-form rivets					Extraction					Punching					clé - key	
Ø 6 - A1/2/3, S0/1/2/3/4/5/6					S28/38/48 /58/68					S08/18 Ø 6 > 8 Ø 8 Ø 6 Ø 6 Ø 8 Ø 6 Ø 6 Ø 8 Ø 8						

Included XT31-60 - 60 mm extension for HR3

FORD




RMB PP02 for 10T 8T PP 10T PP 10T CONTROL
058835

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	G1	G2	G3	G4	G5	G6	E7	E12			
Self-piercing rivets								Extraction		key - clé	
Ø 5 > 5,3								Ø 5 > 5,3		seals - joints	

Included XT31-60 - 60 mm extension for HR3 (use with E7 & E12) 057135

JAGUAR / LAND ROVER



RMB 02 for 8T 10T 8T PP 10T PP 10T CONTROL
054271

x1	x1	x1	x1	x2	x1	x1	x2	x4
B1	B2	B3	S8	D17	E1	E6		
Self-piercing rivets				Extraction		clé - key		
Ø 5 > 5,3 Ø 5,3 Ø 4,8 Ø 4,75				Ø 3,3 > 4,8 Ø 3,3 Ø 4,8		seals - joints		



RMB 12 for 10T
071094

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x2	x4
B1	B3	I1	I2	I3	F1	F2	F6	E3	E13	T1	T2	—	—	—	—	—	—
Self-piercing rivets					Flow-form rivets			Extraction		Punching							
Ø 5 > 5,3					Ø 6			Ø 3,3 > 4,8 Ø 9		Ø 6							

Included XT31-60 - 60 mm extension for HR310

BMW



RMB 01 for 8T 10T 8T PP 10T PP 10T CONTROL
054240

x1	x1	x1	x1	x1	x1	x1	x2	x4
A1	A2	B1	B2	E1	E2			
Self-piercing rivets						Extraction		key - clé
Ø 3,2 > 3,5 Ø 3,3 Ø 5 > 5,3 Ø 5,3						Ø 3,3 > 4,8 Ø 3,9 > 5,3		seals - joints

PORSCHE



RMB 10 for 10T
069299

																
	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x2	x4	
RMB 10 →	B3	F2	E9	E11	T1	T2	—	—	—							
RMB PP06 →	B3	F2	E9	E11	—	—	T5	ST1	T7	T17	T18	T19	D17			
	Flow-form rivets		Extraction		Punching										key - clé	seals - joints
	Ø 6		Ø 6 > 8		Ø 6											
	Included XT31-60 - 60 mm extension for HR310															

Included XT31-60 - 60 mm extension for HR310

TESLA



RMB 09 for 8T 10T 8T PP 10T PP 10T CONTROL
059931

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	H1	H2	H3	H4	H5	H6	H7	H8									
Self-piercing rivets																key - clé	
Ø 5 > 5,3								Ø 5,3								seals - joints	




RMB 13 for 10T
071100

x1	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4
B1	S7	S8	F3	F4	F5	D17	E2	E3	E9	E10	—	—	—	T3	T4			
Self-piercing rivets			Flow-form rivets			Extraction					Punching					key - clé		
Ø 5 > 5,3			Ø 4,75			S28/38/48/58/68 S08/18					Ø 3,9 > 5,3 Ø 5,3 > 8 Ø 6 > 8 Ø 8					Ø 8 Ø 8		


Included XT31-60 - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135

DIES - Matrices - Matrizen


Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen




Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen




Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten



Extraction of rivets
- Extraction de rivets
- Niet-Auspressen



Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets
- Vollniet-Lochstanzen/Prägen



Ø 8																				
																				
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759
A1+A2		B1+B2																		
054295		054301																		


																				
x1	x1	x1	x1	x1	x5	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	
D15	D16	D17	D18	E1		E2	E3	E6	E7	E9	E10	E11	E12	E13	F1	F2	F3	F4	F45	
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	055773	055780	055797	055803	083547	
				E1+E2											F1+F2					
				054318											054714					

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1
F5	F6	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902

									Ø 6		Ø 6					Ø 6		Ø 8		Ø 6.7	
																					
x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x5	x1	x1	x1	x1	x1	x1	x1	x1	x1		
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1		T2	T3	T4	T5	T7	T8	T10	T12	T13		
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373	066380		
									T1+T2												
									054707												

BREVET GYS / GYS PATENT
n° US 11,712,732

																							
Ø 6.7		Ø 6.7		Ø 6		Ø 6		Ø 6		Ø 8		Ø 8		Ø 8		Ø 8		Ø 10		Ø 10		Ø 10	
x1	x1	x5	x1	x1	x1	x5	x1	x1	x1	x5	x1	x1	x1	x5	x1	x1	x1	x5	x1	x1	x5	x1	x1
T14	T15	T16	T17	T18	T19	T20	T21	T22	T23	T24	T25	T26	T27	T28	T29	T30	T31	T32	T33	T34	T35	T36	T37
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950	082830	082847	082861	082854	082861	082861	082861	082861	082861	082861	082861	082861



SELF PIERCING RIVETS (SPR)
- Rivets autopercants (RAP) - Stanznieten

Steel - Acier - Stahl
Complete box
048706

x 200	x 200	x 100	x 100	x 100	x 100	x 100	x 100
048232	048249	048256	048263	048270	048225	048638	048645

SPECIAL CENTER PUNCH
- Pointeau centreur
- Spezialkörner

048379



HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet
Ø 4.0 → 7.8

Steel
→ 6.4 mm
Alu
→ 7.8 mm

HR21

max 21 000 N (6 bar)

055407




included (x3)
058446



For standard rivets
Ø 4.0
51508



For Magnarive rivets
Ø 4.5
51507



Option HR21 extension
100 mm
063105



MADE IN ITALY

CORDLESS RIVETER - Riveteuse sur batterie - Akku-Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet
Ø 4.0/4.8/5.0/6.0/6.4

TWO
ER20

max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg

064461



2 x



20V/2Ah Li-ion battery

BRUSHLESS
motor

HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier Ø 4.0/4.8/6.4
Alu Ø 4.0/4.8/6.4

HR14

max 14 000 N

057241



Made in Taiwan

MANUAL TOOL FOR BLIND RIVETS - Riveteuse manuelle - Manueller Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier Ø 3.2/4.0/4.8/6./6.4
Alu Ø 3.2/4.0/4.8/6./6.4

061323

Made in Taiwan



HYDROPNEUMATIC TOOL FOR RIVET NUTS - Sertisseuse hydro-pneumatique riv 998 - Hydro-pneum. Blindnietmutterngerät

Sealing nuts
- Erous à sertir
- Blindnietmuttern



RIV
998

For sealing nuts from M3 to M12
Pour la pose d'érous à sertir M3 à M12

max 19 000 N (6 bar)
included accessories for sealing nuts :
- livré avec accessoires pour érous à sertir:

✓ M3 ✓ M4
✓ M5 ✓ M6
✓ M8 ✓ M10
✓ M12

055414



MADE IN ITALY

HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier Ø 3.2/4.0/4.8
Alu Ø 3.2/4.0/4.8

HR9

max 9 000 N

057234



Made in Taiwan

